

Specifications

(Since ASME A17.1 and EN1218 standard dimensions are different, please consult our sales agency.)

Standard Layout of Horizontal TP-E Type

(Please consult our sales agency for information concerning the TS-E and TS-LE type.)

Apply to the one which inclination angle is 0 degree or less.

(Fixed horizontal moving walk with some inclination when inclination angle is 0 degree or less.) Please consult with our sales agency.



Motor Output

Model	Inclination angle (°)	Speed (m/min)	Capacity (persons)	Motor Output (kW)	Drive Motor (kW)	Support Motor (kW)
1000	0	30	100	0.75	0.75	0.75
	5	30	100	0.75	0.75	0.75
	10	30	100	0.75	0.75	0.75
1200	0	30	120	0.75	0.75	0.75
	5	30	120	0.75	0.75	0.75
	10	30	120	0.75	0.75	0.75
1500	0	30	150	0.75	0.75	0.75
	5	30	150	0.75	0.75	0.75
	10	30	150	0.75	0.75	0.75

Motor Load Factors

Model	1000	1200	1500
Factor	0.75	0.75	0.75

Static Loads

Model	1000	1200	1500
Load	1000	1200	1500

Standard Specifications

Model	1000	1200	1500
Speed (m/min)	30	30	30
Capacity (persons)	100	120	150
Inclination angle (°)	0-10	0-10	0-10
Power supply	AC100V	AC200V	AC200V
Control system	Micro computer control		

Outline Dimensions

Model	1000	1200	1500
Width	1000	1200	1500
Height	1000	1200	1500
Depth	1000	1200	1500

Illustrated Configurations

Type TP-E



Type TS-E



Type TS-LE



Standard Layout of Inclined TS-E and TS-LE Types

(Please consult our sales agency for information concerning the TP-E type.)

Apply to the one which inclination angle is beyond 0 degree to within 10 degree.



Motor Output

Model	Inclination angle (°)	Speed (m/min)	Capacity (persons)	Motor Output (kW)	Drive Motor (kW)	Support Motor (kW)
1000	0	30	100	0.75	0.75	0.75
	5	30	100	0.75	0.75	0.75
	10	30	100	0.75	0.75	0.75
1200	0	30	120	0.75	0.75	0.75
	5	30	120	0.75	0.75	0.75
	10	30	120	0.75	0.75	0.75
1500	0	30	150	0.75	0.75	0.75
	5	30	150	0.75	0.75	0.75
	10	30	150	0.75	0.75	0.75

Static Loads

Model	1000	1200	1500
Load	1000	1200	1500

Finishes

Material	Finish	Color	Notes
Handrail	TP-E	White	Handrail material is stainless steel plate.
	TS-E	White	Handrail material is stainless steel plate.
	TS-LE	White	Handrail material is stainless steel plate.
Deck	TP-E	White	Deck material is stainless steel plate.
	TS-E	White	Deck material is stainless steel plate.
	TS-LE	White	Deck material is stainless steel plate.
Handrail side	TP-E	White	Handrail material is stainless steel plate.
	TS-E	White	Handrail material is stainless steel plate.
	TS-LE	White	Handrail material is stainless steel plate.

Ordering Information

- Name and address of building or project.
- Type of moving walk desired.
- Length of moving walk and angle of inclination.
- Number of units.
- Voltage and frequency of power source.
- Optional items desired.

Work Not Included in the Installation Contract

- External finish work on moving walk.
- Intermediate support beam.
- Fit construction, waterproofing, drainage work, and other architectural work.
- Wiring and conduits for the main power and lighting lines to the control panel (installed on a wall).
- Wiring and conduits for grounding.